



Permanent Custom **Swing Gates**

Swing Gate manufactured to suit any opening, blocks off access to restricted areas. Available in single or double gate, utilising Surface Mount (SM) or Below Ground (BG) Bollards.

SINGLE GATE



DOUBLE GATE



Standard Features

- Manufactured in Western Australia using standard sized bollards
- Corrosion resistant, galvanised steel & tough powder coat finish
- Heavy Duty Hinges
- Padlockable in either closed or open positions
- Supplied with Gate Receiver to lock open when in use

Optional Features

- Available in any square / round pipe or tube height, diameter, or wall thickness
- Available in High Grade C350 Steel
- Any powder coat colour or combination of colours (costs may apply)
- Optional high strength gussets to strengthen weld joints
- Option of retractable / removable bollard for additional strength and protection
- Option of single or double gate depending of entry span
- Optional Warning Signage available


Australian Standards

- AS 1163 & 1074 Grade C250, Structural Steel Hollow Section
- AS 1450 Steel Tube & AS4792 HDG Coating
- AS 4506-2005 & AS3754-1990 Powder Coating
- AS 4680:2006 - Hot Dip Galvanized (zinc) coatings on fabricated ferrous
- AS 1627.4-2005 Abrasive Blasting


RP 140 - Permanent Chain Gate Bollard

RP permanent fixed bollard pair with chain gate fixtures.
Ideal for vehicle access to carpark, fenced driveways and security areas.

OVERVIEW



TOP VIEW



Standard Features

- Manufactured in Western Australia
- Available in Standard or Heavy Duty
- Corrosion resistant, galvanised steel, plastic primer & tough powder coat
- Available in Surface Mount (SM) or Below Ground (BG)
- "Push-on" post cap fitted as standard
- Permanently affixed, suited for indoor or outdoor use

Optional Features


- Made to measure - available in any height, pipe diameter, wall thickness
- Any powder coat colour or combination of body / cap (costs may apply)
- Choice of cap options - fully welded, seamless, flat or decorative aluminium
- Padlock sold separately - can be keyed to match existing keys
- Fastener / Anchor kits available for surface mounts

Australian Standards


- AS 1163 & 1074 Grade C250, Structural Steel Hollow Section
- AS 1450 Steel Tube & AS4792 HDG Coating
- AS 4506-2005 & AS3754-1990 Powder Coating
- AS 4680:2006 - Hot Dip Galvanized (zinc) coatings on fabricated ferrous
- AS 1627.4-2005 Abrasive Blasting

RP 140 - Permanent Chain Gate Bollard - Model Numbers


Economy Padlock Closure



Heavy Duty Padlock Closure



Part Numbers & Standard Stock Sizes



RP-100 SM or BG
 100ØD x 3.55mmWT

RP-115 SM or BG
 115ØD x 4.55mmWT

RP-140 SM or BG
 140ØD x 5mmWT

RP-165 SM or BG
 165ØD x 5mmWT

Available "Tough" Plastic Coatings
 Stocked Standard Colours



Powder White



Safety Yellow




Stainless Steel (look-alike)

Also available in any standard Dulux® powder coat colour. View range at www.duluxpowder.com.au. Additional costs may apply.

Optional Decorative Aluminium Caps


Available in Polished or Powder Coated finishes



*Not all caps are available across all pipe sizes. Please enquire for more info.


Optional Welded Caps

Available in Flat, Sloped or Curved



Additional Caps

Push-On or Press-In



Additional finishes and sizing options also available upon request - ask our friendly staff for more information.